



## FortiAnalyzer™

Centralized logging, analytics and reporting



## FortiAnalyzer

FortiAnalyzer 200D, 400E, 1000E, 2000E, 3000E, 3000F, 3500E, 3500F, 3900E and FAZ-VM

### Centralized logging, analytics and reporting

#### Comprehensive Visualization of Your Network

FortiAnalyzer platforms integrate network logging, analytics, and reporting into a single system, delivering increased knowledge of security events throughout your network. The FortiAnalyzer family minimizes the effort required to monitor and maintain acceptable use policies, as well as identify attack patterns to help you fine tune your policies. Organizations of any size will benefit from centralized security event logging, forensic research, reporting, content archiving, data mining and malicious file quarantining.

You can deploy FortiAnalyzer physical or virtual appliances to collect, correlate, and analyze geographically and chronologically diverse security data. Aggregate alerts and log information from Fortinet appliances and third-party devices in a single location, providing a simplified, consolidated view of your security posture. In addition, FortiAnalyzer platforms provide detailed data capture for forensic purposes to comply with policies regarding privacy and disclosure of information security breaches.

#### Key Features & Benefits

Graphical Summary Reports	Provides network-wide reporting of events, activities and trends occurring on FortiGate® and third-party devices.
Network Event Correlation	Allows IT administrators to quickly identify and react to network security threats across the network.
Scalable Performance and Capacity	FortiAnalyzer family models support thousands of FortiGate and FortiClient™ agents, and can dynamically scale storage based on retention/compliance requirements.
Choice of Standalone, Collector or Analyzer mode	Can be deployed as an individual unit or optimized for a specific operation (such as store & forward or analytics).
Seamless Integration with the Fortinet Product Portfolio	Tight integration allows FortiAnalyzer resources to be managed from FortiGate or FortiManager™ user interfaces.

### Fortinet's Versatile Management Solution

Networks are constantly evolving due to threats, organizational growth or new regulatory/business requirements. Traditional analysis products focus on recording and identifying company-wide threats through logging, analysis and reporting over time.

FortiAnalyzer offers enterprise class features to identify these threats, but also provides flexibility to evolve along with your ever-changing network. FortiAnalyzer can generate highly customized reports for your business requirements while aggregating logs in a hierarchical, tiered logging topology.

Key tenets of Fortinet's management versatility:

- Diversity of form factors
- Architectural flexibility
- Highly customizable
- Simple licensing



## HIGHLIGHTS

### Reporting and Visualization Tools

- **FortiView Summary**

Views Generation ad-hoc graphical, filterable views of top users, applications, destinations, websites, threats, VPN usage and more.

- **Built-in Report Templates**

Utilize or modify the PDF templates to display colorful, comprehensive, graphical network security and usage reports.

- **UTM & Traffic Summary Reports**

Regularly analyze the security profile and traffic/bandwidth patterns with a new consolidated UTM/Traffic report.

- **Event Management**

Raise and monitor important events to present the IT administrator with unprecedented insight into potentially anomalous behavior.

- **Import/Export Templates**

After building a report, export and modify the configuration on another FortiAnalyzer or different ADOM.

### JSON and XML (Web Services) APIs

- APIs are available on all FortiAnalyzer hardware models and virtual machines
- JSON API — Allows MSSPs/large enterprises to manipulate FortiAnalyzer reports, charts/datasets and objects
- XML API — Enables IT administrators to quickly provision/configure FortiAnalyzer and generate reports
- Access tools, sample code, documentation and interact with the Fortinet developer community by subscribing to the Fortinet Developer Network (FNDN)

### Log Viewer

- View logs in real-time or historical
- Select from traffic, event and full security logs
- Browse by device, ADOM or in aggregate
- Log filtering and search capabilities
- Granular inspection with the log details pane
- Intuitive icons for countries, applications, etc.

### Event Management

- Comprehensive alert builder
- Trigger off of severity levels, specific events, actions and destinations
- Set varying thresholds by number of events within a certain timeframe
- View or search through historical alerts
- Notify via email/SNMP or raise a syslog event

### Better with FortiManager


- Enterprise-class device management
- Familiar GUI for full network control
- Available as integrated solution with FortiAnalyzer

### DLP Archiving

- Investigate DLP content archives
- Supported archive types include: email, HTTP, FTP, IM
- View archive text or download files

### FortiAnalyzer Supported Devices

- FortiGate Multi-Threat Security Systems
- FortiMail Messaging Security Systems
- FortiClient Endpoint Security Suite
- FortiWeb Web Application Security
- FortiManager Centralized Management
- FortiSandbox Threat Protection
- FortiCache Web Caching
- Any Syslog-Compatible Device



# SPECIFICATIONS

	FORTIANALYZER 200D	FORTIANALYZER 400E	FORTIANALYZER 1000E
<b>Capacity and Performance</b>			
GB/Day of Logs	5	75	300
Analytic Sustained Rate (logs/sec)	120	500	4,000
Collector Sustained Rate (logs/sec)	350	725	6,000
Devices/VDOMs/ADOMs (Maximum)	150	200	2,000
<b>Hardware Specifications</b>			
Form Factor	1 RU Rackmount	1 RU Rackmount	2 RU Rackmount
Total Interfaces	4x GE	4x GE	2x GE
Storage Capacity	1 TB (1x 1 TB)	12 TB (4x 3 TB)	24 TB (8x 3 TB)
Removable Hard Drives	No	Yes	Yes
RAID Levels Supported	None	RAID 0/1/5/10	RAID 0/1/5/6/10/50/60
Default RAID Level	—	10	50
Redundant Hot Swap Power Supplies	No	No	Yes
<b>Dimensions</b>			
Height x Width x Length (inches)	1.8 x 17.1 x 13.9	1.7 x 17.2 x 19.8	3.5 x 17.2 x 25.2
Height x Width x Length (cm)	4.5 x 43.3 x 35.2	4.3 x 43.7 x 50.3	8.9 x 43.7 x 68.4
Weight	13.4 lbs (6.1 kg)	31 lbs (14.1 kg)	52 lbs (23.6 kg)
<b>Environment</b>			
AC Power Supply	100–240V AC, 50–60 Hz, 6 Amp Max.	100–240V AC, 60–50 Hz	100–240V AC, 60–50 Hz
Power Consumption (Average)	60 W	93 W	192.5 W
Heat Dissipation	205 BTU/h	456 BTU/h	920 BTU/h
Operating Temperature	32–104°F (0–40°C)	41–95°F (5–35°C)	41–95°F (5–35°C)
Storage Temperature	-13–158°F (-35–70°C)	-40–140°F (-40–60°C)	-40–140°F (-40–60°C)
Humidity	5–95% non-condensing	8–90% non-condensing	8–90% non-condensing
Operating Altitude	Up to 7,400 ft (2,250 m)	Up to 7,400 ft (2,250 m)	Up to 7,400 ft (2,250 m)
<b>Compliance</b>			
Safety Certifications	FCC Part 15 Class A, C-Tick, VCCI, CE, UL/cUL, CB	FCC Part 15 Class A, C-Tick, VCCI, CE, UL/cUL, CB	FCC Part 15 Class A, C-Tick, VCCI, CE, UL/cUL, CB

	FORTIANALYZER 2000E	FORTIANALYZER 3000E	FORTIANALYZER 3000F
<b>Capacity and Performance</b>			
GB/Day of Logs	500	800	1,600
Analytic Sustained Rate (logs/sec)	7,500	15,000	35,000
Collector Sustained Rate (logs/sec)	11,250	50,000	52,500
Devices/VDOMs/ADOMs (Maximum)	2,000	4,000	4,000
<b>Hardware Specifications</b>			
Form Factor	2 RU Rackmount	2 RU Rackmount	3 RU Rackmount
Total Interfaces	4x GE, 2x 10GE SFP+	4x GE, 2x GE SFP	4x GE, 2x 10GE SFP+
Storage Capacity	36 TB (12x 3TB)	16 TB (8x 2 TB)	48 TB (16x 3 TB)
Removable Hard Drives	Yes	Yes	Yes
RAID Storage Management	RAID 0/1/5/6/10/50/60	RAID 0/1/5/6/10/50/60	RAID 0/1/5/6/10/50/60
Default RAID Level	50	10	50
Redundant Hot Swap Power Supplies	Yes	Yes	Yes
<b>Dimensions</b>			
Height x Width x Length (inches)	3.5 x 17.2 x 25.6	3.4 x 19 x 29.7	5.2 x 17.2 x 25.5
Height x Width x Length (cm)	8.9 x 43.7 x 64.8	8.7 x 48.2 x 75.5	13.2 x 43.7 x 64.8
Weight	58 lbs (26.3 kg)	71.5 lbs (32.5 kg)	76 lbs (34.5 kg)
<b>Environment</b>			
AC Power Supply	100–240V AC, 60–50 Hz	100–240V AC, 50–60 Hz, 10 Amp Maximum	100–240V AC, 60–50 Hz
Power Consumption (Average)	390 W	375.8 W	465 W
Heat Dissipation	1840 BTU/h	1947 BTU/h	1904 BTU/h
Operating Temperature	50–95°F (10–35°C)	50–95°F (10–35°C)	50–95°F (10–35°C)
Storage Temperature	-40–158°F (-40–70°C)	-40–149°F (-40–65°C)	-40–158°F (-40–70°C)
Humidity	8–90% non-condensing	20–90% non-condensing	8–90% non-condensing
Operating Altitude	Up to 7,400 ft (2,250 m)	Up to 7,400 ft (2,250 m)	Up to 7,400 ft (2,250 m)
<b>Compliance</b>			
Safety Certifications	FCC Part 15 Class A, C-Tick, VCCI, CE, UL/cUL, CB	FCC Part 15 Class A, C-Tick, VCCI, CE, UL/cUL, CB	FCC Part 15 Class A, C-Tick, VCCI, CE, UL/cUL, CB

## SPECIFICATIONS

	FORTIANALYZER 3500E	FORTIANALYZER 3500F	FORTIANALYZER 3900E
<b>Capacity and Performance</b>			
GB/Day of Logs	3,000	5,000	4,000
Analytic Sustained Rate (logs/sec)	36,000	60,000	48,000
Collector Sustained Rate (logs/sec)	60,000	90,000	75,000
Devices/VDOMs/ADOMs (Maximum)	10,000	10,000	10,000
<b>Hardware Specifications</b>			
Form Factor	4 RU Rackmount	4 RU Rackmount	2 RU Rackmount
Total Interfaces	2x GE, 2x GE SFP	2x GE, 2x GE SFP	2x GE, 2x 10GE SFP+
Storage Capacity	24 TB (12x 2 TB – 48 TB maximum)	72 TB (24x 3TB)	15 TB SSD (15x 1 TB SSD)
Removable Hard Drives	Yes	Yes	Yes
RAID Levels Supported	RAID 0/1/5/6/10/50/60	RAID 0/1/5/6/10/50/60	RAID 0/1/5/6/10/50/60
Default RAID Level	10	50	50
Redundant Hot Swap Power Supplies	Yes	Yes	Yes
<b>Dimensions</b>			
Height x Width x Length (inches)	6.9 x 19.0 x 27.2	6.9 x 19.0 x 27.2	3.5 x 17.2 x 26.9
Height x Width x Length (cm)	17.5 x 48.2 x 69.0	17.6 x 48.2 x 69.0	8.9 x 43.7 x 68.4
Weight	77 lbs (34.9 kg)	93.74 lbs (42.52Kg)	52 lbs (23.6 kg)
<b>Environment</b>			
AC Power Supply	100–240V AC, 50–60 Hz, 11.5 Amp Maximum	100–240V AC, 60–50 Hz	100–240V AC, 50–60 Hz, 11.5 Amp Maximum
Power Consumption (Average)	465 W for 12 HDD	465 W	470 W for 15 HDD
Heat Dissipation	1904 BTU/h	1,904 BTU/h	1637 BTU/h
Operating Temperature	32–104°F (0–40°C)	32–104°F (0–40°C)	50–95°F (10–35°C)
Storage Temperature	-13–158°F (-25–70°C)	-13–158°F (-25–70°C)	-40–60°C (-40–140°F)
Humidity	10–90% non-condensing	10–90% non-condensing	5–95% non-condensing
Operating Altitude	Up to 7,400 ft (2,250 m)	Up to 7,400 ft (2,250 m)	Up to 7,400 ft (2,250 m)
<b>Compliance</b>			
Safety Certifications	FCC Part 15 Class A, C-Tick, VCCI, CE, UL/cUL, CB	FCC Part 15 Class A, C-Tick, VCCI, CE, UL/cUL, CB	FCC Part 15 Class A, C-Tick, VCCI, CE, UL/cUL, CB

	FAZ-VM-BASE	FAZ-VM-GB1	FAZ-VM-GB5	FAZ-VM-GB25	FAZ-VM-GB100	FAZ-VM-GB500	FAZ-VM-GB2000
<b>Capacity and Performance</b>							
GB/Day of Logs	1 incl.*	+1	+5	+25	+100	+500	+2,000
Storage Capacity	500 GB	+500 GB	+3 TB	+10 TB	+24 TB	+48 TB	+100 TB
Devices/ADOMs/VDOMs Supported (Maximum)	10,000	10,000	10,000	10,000	10,000	10,000	10,000
Hypervisor Support	VMware ESX/ESXi 4.0/4.1/5.0/5.1/5.5/6.0, Microsoft Hyper-V 2008 R2/2012/2012 R2, Citrix XenServer 6.0+, Open Source Xen 4.1+, KVM, Amazon Web Services (AWS)						
Network Interface Support (Minimum / Maximum)	1 / 4						
vCPUs (Minimum / Maximum)	1 / Unlimited						
Memory Support (Minimum / Maximum)	1 GB / Unlimited						

\* Unlimited GB/Day when deployed in collector mode

## ORDER INFORMATION

Product	SKU	Description
FortiAnalyzer 200D	FAZ-200D	Centralized log and analysis appliance — 4x GE RJ45, 1 TB storage, up to 5 GB/Day of logs.
FortiAnalyzer 400E	FAZ-400E	Centralized log and analysis appliance — 4x GE RJ45, 12 TB storage, up to 75 GB/Day of Logs.
FortiAnalyzer 1000E	FAZ-1000E	Centralized log and analysis appliance — 2x GE RJ45, 24 TB storage, dual power supplies, up to 300 GB/Day of Logs.
FortiAnalyzer 2000E	FAZ-2000E	Centralized log and analysis appliance — 4x GE RJ45, 2x SFP+, 36 TB storage, dual power supplies, up to 500 GB/Day of Logs.
FortiAnalyzer 3000E	FAZ-3000E	Centralized log and analysis appliance — 4x GE RJ45, 2x GE SFP slots, 16 TB storage, dual power supplies, up to 800 GB/Day of Logs.
FortiAnalyzer 3000F	FAZ-3000F	Centralized log and analysis appliance — 4x GE RJ45, 2x SFP+, 48 TB storage, dual power supplies, up to 1,600 GB/Day of Logs.
FortiAnalyzer 3500E	FAZ-3500E-E02S	Centralized log and analysis appliance — 2x GE RJ45, 2x GE SFP slots, 24 TB storage, dual power supplies, up to 3,000 GB/Day of Logs.
FortiAnalyzer 3500F	FAZ-3500F	Centralized log and analysis appliance — 2x GE RJ45, 2x GE SFP slots, 72 TB storage, dual power supplies, up to 5,000 GB/Day of Logs.
FortiAnalyzer 3900E	FAZ-3900E	Centralized log and analysis appliance — 2x GE RJ45, 2x SFP+ slots, flash-based 15 TB SSD storage, dual power supplies, up to 4,000 GB/Day of Logs.
FortiAnalyzer VM	FAZ-VM-BASE	Base license for stackable FortiAnalyzer-VM; 1 GB/Day of Logs and 500 GB storage capacity. Unlimited GB/Day when used in collector mode only. Designed for VMware vSphere, Xen, KVM and Hyper-V platforms.
	FAZ-VM-GB1	Upgrade license for adding 1 GB/Day of Logs and 500 GB storage capacity.
	FAZ-VM-GB5	Upgrade license for adding 5 GB/Day of Logs and 3 TB storage capacity.
	FAZ-VM-GB25	Upgrade license for adding 25 GB/Day of Logs and 10 TB storage capacity.
	FAZ-VM-GB100	Upgrade license for adding 100 GB/Day of Logs and 24 TB storage capacity.
	FAZ-VM-GB500	Upgrade license for adding 500 GB/Day of Logs and 48 TB storage capacity.
	FAZ-VM-GB2000	Upgrade license for adding 2 TB/Day of Logs and 100 TB storage capacity.



GLOBAL HEADQUARTERS  
Fortinet Inc.  
899 Kifer Road  
Sunnyvale, CA 94086  
United States  
Tel: +1.408.235.7700  
[www.fortinet.com/sales](http://www.fortinet.com/sales)

EMEA SALES OFFICE  
905 rue Albert Einstein  
Valbonne 06560  
Alpes-Maritimes, France  
Tel: +33.4.8987.0500

APAC SALES OFFICE  
300 Beach Road 20-01  
The Concourse  
Singapore 199555  
Tel: +65.6395.2788

LATIN AMERICA SALES OFFICE  
Sawgrass Lakes Center  
13450 W. Sunrise Blvd., Suite 430  
Sunrise, FL 33323  
United States  
Tel: +1.954.368.9990